

Informacione të përgjithshme

Numri i artikullit	98307
Lloji	ndiques i futur
Segmenti i produktit	Ambient i brendshëm
temë	sondige / nicht zuordenbar
Klasa e kursimit të energjisë	F

Dimenzionet

Lartësia (në mm/in)	42
Diametri (në mm/in)	88
Thellësia e instalimit (në mm/in)	50
Ndërprerja (në mm/in)	68
Pesha	0,13

Materiali & Ngjyra

Materiali	alumini
Ngjyra	nikel saten

Funksionaliteti

Lloji i ndërprerësit	pa ndërprerës
Funksioni	LED nuk zëvendësohet
Bateria	Jo

Informacione teknike








Shkalla e sigurisë	IP20
Klasa e sigurisë	2
Tensioni i rrjetit elektrik	220-240V,50/60Hz
Tensioni i punës	220-240V,50/60Hz
Dimmable	Yes
Vat 1	6

Ndriçues 1


Numri i prizës së llambës / burimi i dritës 1	1
Lloji i hapjes 1	LED
Lloji i ndriçuesit 1	LED
Drita e përfshirë 1	Përfshirë
Lumenoni çdo prizë llambë / burim drite 1	500
Kelvin 1	4000
ngjyra e hapur 1	WHITE
Klasa e kursimit të energjisë	F
Dimmable	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

Dimeri i përshtatshëm

Nr.31: 5TC8211-0 - SIEMENS	1
Nr.35: 6523 U-102 - BUSCH-JAEGER	1

 LED	 neutral WHITE				 INCL.	 RECESSED
1 x 6 W	1 x 500 lm	Ø 68				

98307 SALICETO



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

