



概况

材料编号98304类別嵌入式灯產品細分室内的話題驱动/无法提供能效等级G

尺寸

产品宽度 (单位:毫米/英吋)	88
产品长度 (单位:毫米/英吋)	88
安装深度(单位:毫米/英吋)	42
断流器 (单位:毫米/英吋)	68
净重 (kg)	0.14

材质 & 颜色

 外壳材料
 铝

 外壳颜色
 缎面镍

功能性

开关模式不带开关功能不可更换LED电池否

98304

SALICETO



技术信息

防护等级	IP20
防护等级	2
主电压	220-240V,50/60Hz
运行电压	220-240V,50/60Hz
Dimmable	Yes
瓦 1	6
Max.Watt incl.transformer/driver	6W

光源1

燈座/光源數量 1	1
套接字种类 1	LED
光源类型 1	LED
包含光源 1	包括
每個燈座/光源的流明 1	450
Kelvin 1	2700
淺色 1	WARM WHITE
能效等级	G
Dimmable	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

兼容调光器

Nr.31: 5TC8211-0 - SIEMENS

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.39: 7 520 62 - LEGRAND

Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.60: 6523 U-102-500 - ABB

Nr.63: 820320 LEDDIM 400 - SG

Nr.67: 820323 LEDDIM200

Nr.68: 506DA126, Lauritz Knudsen


















1 x 6

1 x 450 lm

98304 SALICETO





THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALLY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.