



Opće informacije

Materijal broj	98244
Tip	Ugradbeno svjetlo
Produkt segment	Unutarnja rasvjeta
Tema	ostalo/ nije dodijeljeno
Klasa energetske efikasnosti	G

Dimenzije

Visina proizvoda (u mm/in)	42
Promjer proizvoda (u mm/in)	88
Dubina ugradnje (u mm/in)	50
Izrez (u mm/in)	68
Neto težina (u kg)	0,13

Materijal & boja

Materijal kućišta	aluminij
Boja kućišta	satén nikal

Functionality

Tip prekidača	bez prekidača
Funkcija	nije moguća zamjena LED
Baterija	Ne

Tehnički podaci

Stupanj zaštite	IP20
Klasa zaštite	2
Mrežni napon	220-240V,50/60Hz
Dimabilno	Yes
Vat 1	6
Maksimalna voltaža uključen transformator/ driver	6W

Illuminant 1

Broj grla za žarulje/izvor svjetla 1	1
Tip utičnice 1	LED
Tip žarulje 1	LED
Žarulja uklj. 1	Uključeno
Lumen svake utičnice za žarulju/izvor svjetla 1	380
Kelvin 1	2700
Boja svjetla 1	WARM WHITE
Klasa energetske efikasnosti	G
Dimabilno	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

Kompatibilni prigušivači

NR.06: 5TC8 256 - SIEMENS

NR.07: 2262 00 - GIRA

NR.08: 2873 - BERKER

NR.11: 5TC8 284 - SIEMENS

NR.12: 2247 U - BUSCH-JAEGER

NR.19: 7759 03 ADW-ETL4 - LEGRAND

Nr.20: 6523 U - BUSCH-JAEGER

Nr.21: 32E450UDM - CLIPSAL

Nr.22: Cat 400T - LEGRAND

Nr.24: 6524 U - BUSCH-JAEGER

Nr.25: 225 NV DE - JUNG

Nr.28: 8542 12 00 - BERKER

Nr.29: 5TC8 263 - SIEMENS

Nr.31: 5TC8211-0 - SIEMENS

Nr.32: System 2000 2385 00 - GIRA

Nr.33: ETD U2 - SCHALK

Nr.34: EUD61NPN-UC - ELTAKO


Nr.36: 6523 UJGL-214P - ABB

Nr.37: VD100 - VADSBO



1 x 6
W

Ø 68



cd
— C0 - C180 — C90 - C270

98244
SALICETO



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

