



## Opće informacije

Materijal broj	98244
Tip	Ugradbeno svjetlo
Produkt segment	Unutarnja rasvjeta
Tema	ostalo/ nije dodijeljeno
Klasa energetske efikasnosti	G

## Dimenzije

Visina proizvoda (u mm/in)	42
Promjer proizvoda (u mm/in)	88
Dubina ugradnje (u mm/in)	50
Izrez (u mm/in)	68
Neto težina (u kg)	0,13

## Materijal & boja

Materijal kućišta	aluminij
Boja kućišta	satén nikal

## Functionality

Tip prekidača	bez prekidača
Funkcija	nije moguća zamjena LED
Baterija	Ne

## Tehnički podaci

Stupanj zaštite	IP20
Klasa zaštite	2
Mrežni napon	220-240V,50/60Hz
Dimabilno	Yes
Vat 1	6
Maksimalna voltaža uključen transformator/ driver	6W

## Illuminant 1

Broj grla za žarulje/izvor svjetla 1	1
Tip utičnice 1	LED
Tip žarulje 1	LED
Žarulja uklj. 1	Uključeno
Lumen svake utičnice za žarulju/izvor svjetla 1	380
Kelvin 1	2700
Boja svjetla 1	WARM WHITE
Klasa energetske efikasnosti	G
Dimabilno	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

## Kompatibilni prigušivači

NR.06: 5TC8 256 - SIEMENS

NR.07: 2262 00 - GIRA

NR.08: 2873 - BERKER

NR.11: 5TC8 284 - SIEMENS

NR.12: 2247 U - BUSCH-JAEGER

NR.19: 7759 03 ADW-ETL4 - LEGRAND

Nr.20: 6523 U - BUSCH-JAEGER

Nr.21: 32E450UDM - CLIPSAL

Nr.22: Cat 400T - LEGRAND

Nr.24: 6524 U - BUSCH-JAEGER

Nr.25: 225 NV DE - JUNG

Nr.28: 8542 12 00 - BERKER

Nr.29: 5TC8 263 - SIEMENS

Nr.31: 5TC8211-0 - SIEMENS

Nr.32: System 2000 2385 00 - GIRA

Nr.33: ETD U2 - SCHALK

Nr.34: EUD61NPN-UC - ELTAKO


Nr.36: 6523 UJGL-214P - ABB

Nr.37: VD100 - VADSBO



1 x 6  
W

Ø 68



cd  
— C0 - C180 — C90 - C270

**98244**  
**SALICETO**



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

