

Opće informacije

Materijal broj	98303
Tip	Ugradbeno svjetlo
Produkt segment	Unutarnja rasvjeta
Tema	ostalo/ nije dodijeljeno
Klasa energetske efikasnosti	E

Dimenzije

Promjer proizvoda (u mm/in)	88
Dubina ugradnje (u mm/in)	42
Izrez (u mm/in)	68
Neto težina (u kg)	0,13

Materijal & boja

Materijal kućišta	aluminij
Boja kućišta	satén nikal

Functionality

Tip prekidača	bez prekidača
Funkcija	nije moguća zamjena LED
Baterija	Ne

Tehnički podaci

Stupanj zaštite	IP20
Klasa zaštite	2
Mrežni napon	220-240V,50/60Hz
Napon rada	220-240V,50/60Hz
Dimabilno	Yes
Vat 1	4,8
Maksimalna voltaža uključen transformator/ driver	6W

Illuminant 1

Broj grla za žarulje/izvor svjetla 1	1
Tip utičnice 1	LED
Tip žarulje 1	LED
Žarulja uklj. 1	Uključeno
Lumen svake utičnice za žarulju/izvor svjetla 1	450
Kelvin 1	2700
Boja svjetla 1	WARM WHITE
Klasa energetske efikasnosti	E
Dimabilno	Yes
Info changeability light source/driver	LED exchangeable by a specialist, no driver included

Kompatibilni prigušivači

Nr.31: 5TC8211-0 - SIEMENS

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.39: 7 520 62 - LEGRAND

Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.60: 6523 U-102-500 - ABB

Nr.63: 820320 LEDDIM 400 - SG

Nr.67: 820323 LEDDIM200

Nr.68: 506DA126, Lauritz Knudsen




1 x 4,8

1 x 450 l

Ø 68

W

m



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

Zadržane su tehničke promjene

3/3



Contact | Support
eglo.com/en/eglo-worldwide