

Opće informacije

Materijal broj	99162
Tip	Ugradbeno svjetlo
Produkt segment	Unutarnja rasvjeta
Tema	ostalo/ nije dodijeljeno
Klasa energetske efikasnosti	F

Dimenzije

Širina proizvoda (u mm/in)	117
Dužina proizvoda (u mm/in)	117
Dubina ugradnje (u mm/in)	26
Izrez (u mm/in)	105X105
Neto težina (u kg)	0,2

Materijal & boja

Materijal kućišta	čelik
Boja kućišta	bijelo
Materijal stakla/sjenila	plastika
Boja stakla/sjenila	bijelo

Functionality

Tip prekidača	bez prekidača
Baterija	Ne

Tehnički podaci

Stupanj zaštite	IP20
Klasa zaštite	2
Mrežni napon	220-240V,50/60Hz
Napon rada	220-240V,50/60Hz
Dimabilno	No
Vat 1	5,5


Illuminant 1

Broj grla za žarulje/izvor svjetla 1	1
Tip utičnice 1	LED
Tip žarulje 1	LED
Žarulja uklj. 1	Uključeno
Lumen svake utičnice za žarulju/izvor svjetla 1	650
Kelvin 1	3000
Boja svjetla 1	WARM WHITE
Klasa energetske efikasnosti	F
Dimabilno	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist



1 x
5,5 W

□ 105
X105



cd
— C0 - C180 — C90 - C270

99162
FUEVA 5



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

