




Opće informacije

Materijal broj	99179
Tip	Ugradbeno svjetlo
Produkt segment	Unutarnja rasvjeta
Tema	ostalo/ nije dodijeljeno
Klasa energetske efikasnosti	E

Dimenzije

Širina proizvoda (u mm/in)	166
Dužina proizvoda (u mm/in)	166
Dubina ugradnje (u mm/in)	26
Izrez (u mm/in)	155X155
Neto težina (u kg)	0,34

Materijal & boja

Materijal kućišta	čelik
Boja kućišta	bijelo
Materijal stakla/sjenila	plastika
Boja stakla/sjenila	bijelo

Functionality

Tip prekidača	bez prekidača
Baterija	Ne

Tehnički podaci

Stupanj zaštite	IP20
Klasa zaštite	2
Mrežni napon	220-240V,50/60Hz
Napon rada	220-240V,50/60Hz
Dimabilno	No
Vat 1	11
Maksimalna voltaža uključen transformator/ driver	12W

Illuminant 1

Broj grla za žarulje/izvor svjetla 1	1
Tip utičnice 1	LED
Tip žarulje 1	LED
Žarulja uklj. 1	Uključeno
Lumen svake utičnice za žarulju/izvor svjetla 1	1350
Kelvin 1	4000
Boja svjetla 1	WHITE
Klasa energetske efikasnosti	E
Dimabilno	No
Info changeability light source/driver	LED + driver can be exchanged by a specialist

LED

neutral WHITE

INCL.

RECESSED


CE UK CA

1 x 11 W

1 x 1350 lm

□ 155 X155

99179 FUEVA 5



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

