

Opće informacije

Materijal broj	99193
Tip	Ugradbeno svjetlo
Produkt segment	Unutarnja rasvjeta
Tema	ostalo/ nije dodijeljeno
Klasa energetske efikasnosti	F

Dimenzije

Promjer proizvoda (u mm/in)	216
Dubina ugradnje (u mm/in)	26
Izrez (u mm/in)	205
Neto težina (u kg)	0,37

Materijal & boja

Materijal kućišta	čelik
Boja kućišta	bijelo
Materijal stakla/sjenila	plastika
Boja stakla/sjenila	bijelo

Functionality

Tip prekidača	bez prekidača
Baterija	Ne

Tehnički podaci

Stupanj zaštite	IP20
Klasa zaštite	2
Mrežni napon	220-240V,50/60Hz
Napon rada	220-240V,50/60Hz
Dimabilno	Yes
Vat 1	17

Illuminant 1


Broj grla za žarulje/izvor svjetla 1	1
Tip utičnice 1	LED
Tip žarulje 1	LED
Žarulja uklj. 1	Uključeno
Lumen svake utičnice za žarulju/izvor svjetla 1	2000
Kelvin 1	3000
Boja svjetla 1	WARM WHITE
Klasa energetske efikasnosti	F
Dimabilno	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

Kompatibilni prigušivači

Nr.30: 852,096 - OPUS	1
Nr.31: 5TC8211-0 - SIEMENS	1
Nr.34: EUD61NPN-UC - ELTAKO	1
Nr.35: 6523 U-102 - BUSCH-JAEGER	1



99193 FUEVA 5



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

