



Generel information

Materialenummer	98244
Type	Indbygningsslys
Produktsegment	Indoor
Tema	sonstige / nicht zuordenbar
Energieeffektivitetsklasse	G

Dimensioner

Produktets diameter (i mm/in)	88
Installationsdybde (i mm/in)	56
Udsnit (i mm/in)	68
Nettovægt (i kg)	0.13

Materiale og farve

Materiale	aluminium
Farve	satineret nikkel

Funktionalitet

Stiktype	uden afbryder
Funktion	LED kan ikke udskiftes
Batteri	Nej

Teknisk information

Beskyttelsesgrad	IP20
Beskyttelsesklasse	2
Netspænding	220-240V,50/60Hz
Dæmpbar	Yes
Watt 1	6
Max. Watt inkl. transformer/driver	6W

Lyskilde 1

Antal lampestik / lyskilde 1	1
Fatningstype 1	LED
Lyskildetype 1	LED
Lyskilde 1	Inklusiv
Lumen hver Lampefatning / lyskilde 1	380
Kelvin 1	2700
Lysfarve 1	WARM WHITE
Energieffektivitetsklasse	G
Dæmpbar	Yes
Info changeability□light source/driver	LED kan udskiftes af fagmand, Ingen driver inkluderet

Kompatible lysdæmpere

NR.06: 5TC8 256 - SIEMENS

NR.07: 2262 00 - GIRA

NR.08: 2873 - BERKER

NR.11: 5TC8 284 - SIEMENS

NR.12: 2247 U - BUSCH-JAEGER

NR.19: 7759 03 ADW-ETL4 - LEGRAND

Nr.20: 6523 U - BUSCH-JAEGER

Nr.21: 32E450UDM - CLIPSAL

Nr.22: Cat 400T - LEGRAND

Nr.24: 6524 U - BUSCH-JAEGER

Nr.25: 225 NV DE - JUNG

Nr.28: 8542 12 00 - BERKER

Nr.29: 5TC8 263 - SIEMENS

Nr.31: 5TC8211-0 - SIEMENS


Nr.32: System 2000 2385 00 - GIRA

Nr.33: ETD U2 - SCHALK

Nr.34: EUD61NPN-UC - ELTAKO

Nr.36: 6523 UJGL-214P - ABB

Nr.37: VD100 - VADSBO



98244 SALICETO



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

