




Generel information

Materialenummer	98474
Type	Indbygningsslys
Produktsegment	Indoor
Tema	sonstige / nicht zuordenbar

Dimensioner

Produktets bredde (i mm/in)	88
Produktets længde (i mm/in)	88
Installationsdybde (i mm/in)	56
Udsnit (i mm/in)	68
Nettovægt (i kg)	0.14

Materiale og farve

Materiale	aluminium
Farve	satineret nikkel
Materiale - glas/skærm	glas
Farve - glas/skærm	klar

Funktionalitet

Stiktype	uden afbryder
Funktion	LED kan ikke udskiftes
Batteri	Nej

Teknisk information

Beskyttelsesgrad	IP20
Beskyttelsesklasse	2
Netspænding	220-240V,50/60Hz
Dæmpbar	Yes
Watt 1	6
Max. Watt inkl. transformer/driver	6W

Lyskilde 1

Antal lampestik / lyskilde 1	1
Fatningstype 1	LED
Lyskildetype 1	LED
Lyskilde 1	Inklusiv
Lumen hver Lampefatning / lyskilde 1	450
Kelvin 1	4000
Lysfarve 1	WHITE
Dæmpbar	Yes

Kompatible lysdæmpere

NR.06: 5TC8 256 - SIEMENS

NR.07: 2262 00 - GIRA

NR.08: 2873 - BERKER

NR.11: 5TC8 284 - SIEMENS

NR.12: 2247 U - BUSCH-JAEGER

NR.19: 7759 03 ADW-ETL4 - LEGRAND

Nr.20: 6523 U - BUSCH-JAEGER

Nr.21: 32E450UDM - CLIPSAL

Nr.22: Cat 400T - LEGRAND

Nr.24: 6524 U - BUSCH-JAEGER

Nr.25: 225 NV DE - JUNG

Nr.28: 8542 12 00 - BERKER

Nr.29: 5TC8 263 - SIEMENS

Nr.31: 5TC8211-0 - SIEMENS

Nr.32: System 2000 2385 00 - GIRA

Nr.33: ETD U2 - SCHALK

Nr.34: EUD61NPN-UC - ELTAKO

Nr.36: 6523 UJGL-214P - ABB


Nr.37: VD100 - VADSBO



1 x 6
W

1 x
450
lm

Ø 68



cd

— C0 - C180 — C90 - C270

THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

