




Algemene informatie

Materiaalnummer	900589
Type	opbouwarmatuur
Productsegment	woonkamerarmatuur
Thema	overige / niet toewijsbaar
Energie-efficiëntieklasse	E

Afmetingen

Artikelhoogte (in mm/in)	28
Artikelbreedte (in mm/in)	160
Artikellengte (in mm/in)	160
Nettogewicht (kg)	0,44

Materiaal & Kleur

Materiaal van de behuizing	staal
Kleur van de behuizing	wit
Glas/kap materiaal	Kunststof
Glas-/kap kleur	wit

Functionality

Type schakelaar	zonder schakelaar
Batterij	Nee

Technische informatie

Veiligheidsklasse	IP20
Veiligheidsklasse	2
Netspanning	220-240V,50/60Hz
Voedingsspanning	220-240V,50/60Hz
Dimbaar	Ja
Watt 1	11
Max. watt incl. trafo/driver	12W

Lichtbron 1

Aantal lampfittings / lichtbron 1	1
Type fitting 1	LED
Type lichtbron 1	LED
Lichtbron 1	inclusief
Lumen per lampfitting / Lichtbron 1	1350
Kelvin 1	3000
Lichtkleur 1	WARM WHITE
Energie-efficiëntieklasse	E
Dimbaar	Ja
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

Geschikte dimmer

Nr.28: 8542 12 00 - BERKER

Nr.30: 852,096 - OPUS

Nr.31: 5TC8211-0 - SIEMENS

Nr.34: EUD61NPN-UC - ELTAKO

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.36: 6523 UJGL-214P - ABB

Nr.37: VD100 - VADSBO

Nr.39: 7 520 62 - LEGRAND

Nr.42: 1711DE - JUNG

Nr.43: 1710DE - JUNG

Nr.44: 540100 - GIRA

Nr.45: 540000 - GIRA

Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.56: 6526 U - BUSCH-JAEGER

Nr.57: 6523 UR-103 - BUSCH-JAEGER

Nr.58: 6526 U-500 - ABB

Nr.59: 6523 UR-103-500 - ABB

Nr.60: 6523 U-102-500 - ABB

Nr.61: 40200.LED.FMI.61 - FELLER



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

