

12556 LM_LED_E27 - V1



EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

| | |
|-----------------|---------------|
| Trade mark | EGLO |
| Material number | 12556 |
| Type | lightbulb |
| EAN/UPC | 9002759125561 |

Dimensions

| | |
|-----------------------------|-----|
| Article Diameter (in mm/in) | 125 |
| Article Length (in mm/in) | 173 |

Light Information

| | |
|---------------------------------|--------|
| Rated useful lumen | 100 |
| Beam angle (°) - at measurement | 360 |
| Color temperature (K) | 1700 |
| Color rendering index (CRI) | 80 |
| R9 | 26 |
| Mains light source | 1 |
| Chromaticity coordinates x (1) | 0,5657 |
| Illuminant form 1 | G125 |

Technical Information









| | |
|--------------------------------|--------|
| Equivalent power (W) | 11 |
| Nominal Lifetime (in h) | 25,000 |
| Lighting Technology | LED |
| Lamp cap (Socket) | E27 |
| Energy consumption (kWh/1000h) | 4 |

| | |
|---|----------|
| Rated useful lumen | 100 |
| Beam angle (°) - at measurement | 360 |
| Color temperature (K) | 1700 |
| Nominal wattage (W) | 4 |
| Chromaticity coordinates x (1) | 0,5657 |
| Chromaticity coordinates y (1) | 0,4171 |
| Color rendering index (CRI) | 80 |
| R9 | 26 |
| Lamp survival factor @3000h | > = 90 % |
| Lumen maintenance factor @3000h % in decimal number | 0,96 |

| | |
|----------------------------------|-----|
| Flicker Metric / Pst LM | 1 |
| Stroboscopic Effect Metric / SVM | 0,4 |

12556

LM_LED_E27 - V1

| | | | | | | | |
|--|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| E27 | 25000 h | | 220-2 40V,5 0/60H z | 220-2 40V,5 0/60H z | | 80 | 10 |

