

205119 LM_LED_GU10 - V1



COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

| | |
|--------------------------------|---------------|
| Trade mark | EGLO |
| Material number | 205119 |
| Type | lightbulb |
| Light colour 1 | TRICOLOUR |
| Illuminant type 1 | LED-SMD |
| Energy consumption (kWh/1000h) | 5 |
| EAN/UPC | 9008606237883 |
| Energy efficiency class (EEI) | G |
| Lighting Technology | LED |
| Lamp socket 1 | GU10 |

Dimensions

| | |
|-----------------------------|----|
| Article Diameter (in mm/in) | 50 |
| Article Length (in mm/in) | 54 |

205119

LM_LED_GU10 - V1

Light Information


| | |
|---------------------------------|--------------------|
| Rated useful lumen | 400 |
| Beam angle (°) - at measurement | 360 |
| Color temperature (K) | 3000 / 4000 / 5000 |
| Color rendering index (CRI) | 80 |
| Mains light source | 1 |
| Chromaticity coordinates x (1) | 0,4411 |
| Illuminant form 1 | GU10 |

Technical Information

| | |
|---|----------|
| Equivalent power (W) | 35 |
| Nominal wattage (W) | 5 |
| item-number LED-board 1 | 205119 |
| Lumen maintenance factor @3000h % in decimal number | 0,93 |
| Lamp survival factor @3000h | > = 90 % |
| Displacement factor DF (PF) | 0,5 |
| Flicker Metric / Pst LM | 0,2 |
| Stroboscopic Effect Metric / SVM | 0,2 |

Switch information

| | |
|------------------------------------|---|
| Dimmable (bulb, board, stripe,...) | 1 |
| Function | change of the Kelvin on the product CCT |



205119 LM_LED_GU10 - V1

