32737

FUEVA-C

General Information

Material number	32737
Type	recessed light
Product segment	Indoor
Theme	EGLO connect
Energy efficiency class (EEI)	E

Dimensions

Article Diameter (in mm/in)	120
Installation Depth (in mm/in)	30
Cutout (in mm/in)	108
Net Weight (in kg)	0.2

Material & Colour

Enclosure Material	cast metal
Enclosure Colour	white
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch

Function	LED not replaceable control via APP + remote control BLE, CCT, RGB
Battery	No

Technical Information


Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
Watt 1	5,4
Max.Watt incl.transformer/driver	6W
Nominal Lifetime (in h)	25000

Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	700
Kelvin 1	2700-6500
Light colour 1	RGB+TW
Nominal Lifetime (in h)	25000
Switching Cycles	15000
kW/1000h	6
Energy efficiency class (EEI)	E
Dimmable	Yes
Rated Lamp Power (0,1W precision)	5,2
Colour Tolerance (LED, SDCM)	<6



1 x 5,4 W | 1 x 700 lm | Ø 108



Technical changes reserved

Contact | Support
eglo.com/en/eglo-worldwide