



## General Information

Material number	33997
Type	recessed light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	F

## Dimensions

Article Diameter (in mm/in)	88
Installation Depth (in mm/in)	42
Cutout (in mm/in)	68
Net Weight (in kg)	0.15

## Material & Colour

Enclosure Material	aluminium
Enclosure Colour	black

## Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

## Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	Yes
Watt 1	6
Max.Watt incl.transformer/driver	6W

## Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	500
Kelvin 1	4000
Light colour 1	WHITE
Nominal Lifetime (in h)	15,000
Switching Cycles	100000
kW/1000h	6
Energy efficiency class (EEI)	F
Dimmable	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included
Rated Lamp Power (0,1W precision)	6
Colour Tolerance (LED, SDCM)	6

## Compatible Dimmers

Nr.31: 5TC8211-0 - SIEMENS

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.39: 7 520 62 - LEGRAND

Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.60: 6523 U-102-500 - ABB

Nr.63: 820320 LEDDIM 400 - SG

Nr.67: 820323 LEDDIM200

Nr.68: 506DA126, Lauritz Knudsen



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

