



General Information

| | |
|-------------------------------|------------------|
| Material number | 39287 |
| Type | ceiling light |
| Product segment | Indoor |
| Theme | Crystal & Design |
| Energy efficiency class (EEI) | E |

Dimensions

| | |
|-----------------------------|------|
| Article Height (in mm/in) | 135 |
| Article Diameter (in mm/in) | 595 |
| Net Weight (in kg) | 4.04 |

Material & Colour

| | |
|--------------------|----------------|
| Enclosure Material | steel, plastic |
| Enclosure Colour | white |

Functionality

| | |
|-------------|---------------------|
| Switch Type | without switch |
| Function | LED not replaceable |
| Battery | No |

Technical Information

| | |
|-------------------|------------------|
| Protection Degree | IP20 |
| Protection Class | 2 |
| Mains Voltage | 220-240V,50/60Hz |
| Dimmable | Yes |
| Watt 1 | 8,8 |
| Voltage | 220-240V 50/60Hz |
| U out | 34-51,5V |
| I out | 700mA |
| Hz | 100Hz |

Illuminant 1

Number of Lamp socket / Light source 1 4

| | |
|---|-----------|
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Lumen each Lamp socket / Light source 1 | 1050 |

| | |
|--|---|
| Kelvin 1 | 3000 |
| Light colour 1 | WARM WHITE |
| Nominal Lifetime (in h) | 25,000 |
| Switching Cycles | 15000 |
| kW/1000h | 34 |
| Energy efficiency class (EEI) | E |
| Dimmable | Yes |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |

| | |
|-----------------------------------|----|
| Rated Lamp Power (0,1W precision) | 34 |
| Colour Tolerance (LED, SDCM) | <6 |

Compatible Dimmers

| | |
|-----------------------------------|---|
| NR.01: 2830 10 - BERKER | 1 |
| NR.02: 434 - PEHA | 1 |
| NR.03: 2250 U - BUSCH-JAEGER | 1 |
| NR.05: 266 GDE - JUNG | 1 |
| NR.07: 2262 00 - GIRA | 1 |
| NR.08: 2873 - BERKER | 1 |
| NR.10: 286710 - BERKER | 1 |
| NR.12: 2247 U - BUSCH-JAEGER | 1 |
| NR.13: 6519 U - BUSCH-JAEGER | 1 |
| NR.14: 6513 U-102 - BUSCH-JAEGER | 1 |
| NR.15: 577199 - MERTEN | 1 |
| NR.16: 0307 00 - GIRA | 1 |
| NR.17: 433 HAB - PEHA | 1 |
| NR.18: 225 TDE - JUNG | 1 |
| NR.19: 7759 03 ADW-ETL4 - LEGRAND | 1 |
| Nr.20: 6523 U - BUSCH-JAEGER | 1 |
| Nr.21: 32E450UDM - CLIPSAL | 1 |
| Nr.23: 6591 U-101 - BUSCH-JAEGER | 1 |
| Nr.24: 6524 U - BUSCH-JAEGER | 1 |
| Nr.25: 225 NV DE - JUNG | 1 |
| Nr.26: 315GLE - ELKO | 1 |
| Nr.27: H-GDM250 - HAMILTON | 1 |
| Nr.28: 8542 12 00 - BERKER | 1 |
| Nr.29: 5TC8 263 - SIEMENS | 1 |
| Nr.30: 852,096 - OPUS | 1 |
| Nr.31: 5TC8211-0 - SIEMENS | 1 |
| Nr.32: System 2000 2385 00 - GIRA | 1 |
| Nr.33: ETD U2 - SCHALK | 1 |
| Nr.34: EUD61NPN-UC - ELTAKO | 1 |
| Nr.35: 6523 U-102 - BUSCH-JAEGER | 1 |



4 x
8,8 W

