



General Information

| | |
|-------------------------------|--------------------------------|
| Material number | 39314 |
| Type | pendant light |
| Product segment | Indoor |
| Theme | Stars of Light (Crystal & Desi |
| Energy efficiency class (EEI) | F |

Dimensions

| | |
|-----------------------------|------|
| Article Height (in mm/in) | 1500 |
| Article Diameter (in mm/in) | 800 |
| Net Weight (in kg) | 8.32 |

Material & Colour

| | |
|----------------------|--------------|
| Enclosure Material | steel |
| Enclosure Colour | champagne |
| Glass/Shade Material | plastic |
| Glass/Shade Colour | satin finish |

Functionality

| | |
|-------------|---------------------|
| Switch Type | without switch |
| Function | LED not replaceable |
| Battery | No |

Technical Information

| | |
|----------------------------------|------------------|
| Protection Degree | IP20 |
| Protection Class | 2 |
| Mains Voltage | 220-240V,50/60Hz |
| Dimmable | Yes |
| Watt 1 | 39 |
| Watt 2 | 35 |
| Watt 3 | 17 |
| Max.Watt incl.transformer/driver | 198, 2W |
| Voltage | 220-240V 50/60Hz |
| U out | 48-72V |
| I out | 700mA |
| Hz | 100Hz |

Illuminant 1

| | |
|---|---|
| Number of Lamp socket / Light source 1 | 2 |
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Lumen each Lamp socket / Light source 1 | 4600 |
| Kelvin 1 | 3000 |
| Light colour 1 | WARM WHITE |
| Energy efficiency class (EEI) | F |
| Dimmable | Yes |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |

Illuminant 2

| | |
|---|---|
| Lamp socket 2 | LED |
| Illuminant type 2 | LED |
| Illuminant 2 | Inclusive |
| Lumen each Lamp socket / Light source 2 | 4200 |
| Kelvin 1 | 3000 |
| Light colour 1 | WARM WHITE |
| Energy efficiency class (EEI) | F |
| Dimmable | Yes |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |

Illuminant 3

| | |
|---|---|
| Lamp socket 3 | LED |
| Illuminant type 3 | LED |
| Illuminant 3 | Inclusive |
| Lumen each Lamp socket / Light source 3 | 2100 |
| Kelvin 1 | 3000 |
| Light colour 1 | WARM WHITE |
| Energy efficiency class (EEI) | F |
| Dimmable | Yes |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |

Compatible Dimmers

Nr.09: 852,095 - OPUS

Nr.28: 8542 12 00 - BERKER

Nr.30: 852,096 - OPUS

Nr.31: 5TC8211-0 - SIEMENS

Nr.34: EUD61NPN-UC - ELTAKO

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.36: 6523 UJGL-214P - ABB

Nr.37: VD100 - VADSBO

Nr.38: SBD200LED - SCHNEIDER

Nr.39: 7 520 62 - LEGRAND

Nr.40: 7 520 60 - LEGRAND

Nr.41: 1731DD - JUNG

Nr.42: 1711DE - JUNG

Nr.43: 1710DE - JUNG

Nr.44: 540100 - GIRA

Nr.45: 540000 - GIRA

Nr.46: 1730DD - JUNG

Nr.47: 1724DM - JUNG

Nr.48: UD1755REG - JUNG

Nr.49: 245500 - GIRA

Nr.50: 245000 - GIRA

Nr.51: 244000 - GIRA

Nr.52: 236500 - GIRA

Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.56: 6526 U - BUSCH-JAEGER

Nr.57: 6523 UR-103 - BUSCH-JAEGER

Nr.58: 6526 U-500 - ABB

Nr.59: 6523 UR-103-500 - ABB

Nr.60: 6523 U-102-500 - ABB

Nr.61: 40200.LED.FMI.61 - FELLER

Nr.63: 820320 LEDDIM 400 - SG

Nr.64: 506DA109 - FUGA

Nr.65: 506DA218 - FUGA

Nr.66: 506DA219 - FUGA

Nr.67: 820323 LEDDIM200



2 x 39 W 2 x 35 W 2 x 17 W

Technical changes reserved

4/4



Contact | Support
eglo.com/en/eglo-worldwide