



General Information

Material number	39545
Type	pendant light
Product segment	Indoor
Theme	Stars of Light (Crystal & Desi
Energy efficiency class (EEI)	E

Dimensions

Article Height (in mm/in)	3340
Article Diameter (in mm/in)	780
Net Weight (in kg)	18.38

Material & Colour

Enclosure Material	steel
Enclosure Colour	chrome
Glass/Shade Material	brilliant glass
Glass/Shade Colour	clear

Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
Watt 1	1,8
Max.Watt incl.transformer/driver	91W
dimnable	Yes
Voltage	220-240V 50/60Hz
U out	30-50V
I out	600mA
Hz	100Hz

Illuminant 1

Number of Lamp socket / Light source 1	40
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	240
Kelvin 1	3000
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	E
Dimmable	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

Compatible Dimmers

Nr.09: 852,095 - OPUS

Nr.28: 8542 12 00 - BERKER

Nr.30: 852,096 - OPUS

Nr.31: 5TC8211-0 - SIEMENS

Nr.34: EUD61NPN-UC - ELTAKO

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.36: 6523 UJGL-214P - ABB

Nr.37: VD100 - VADSBO

Nr.38: SBD200LED - SCHNEIDER

Nr.39: 7 520 62 - LEGRAND

Nr.40: 7 520 60 - LEGRAND

Nr.41: 1731DD - JUNG

Nr.42: 1711DE - JUNG

Nr.43: 1710DE - JUNG

Nr.44: 540100 - GIRA

Nr.45: 540000 - GIRA

Nr.46: 1730DD - JUNG

Nr.47: 1724DM - JUNG

Nr.48: UD1755REG - JUNG

Nr.49: 245500 - GIRA

Nr.50: 245000 - GIRA

Nr.51: 244000 - GIRA

Nr.52: 236500 - GIRA

Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.56: 6526 U - BUSCH-JAEGER

Nr.57: 6523 UR-103 - BUSCH-JAEGER

Nr.58: 6526 U-500 - ABB

Nr.59: 6523 UR-103-500 - ABB

Nr.60: 6523 U-102-500 - ABB

Nr.61: 40200.LED.FMI.61 - FELLER

Nr.63: 820320 LEDDIM 400 - SG

Nr.64: 506DA109 - FUGA

Nr.65: 506DA218 - FUGA

Nr.66: 506DA219 - FUGA



40 x 40 x
1,8 W 240
lm

Technical changes reserved

3/3



Contact | Support
eglo.com/en/eglo-worldwide