



## General Information

Material number	900582
Type	surface-mounted light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	E

## Dimensions

Article Height (in mm/in)	28
Article Diameter (in mm/in)	160
Net Weight (in kg)	0.31

## Material & Colour

Enclosure Material	steel
Enclosure Colour	white
Glass/Shade Material	plastic
Glass/Shade Colour	white

## Functionality

Switch Type	without switch
Battery	No

## Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	Yes
Watt 1	11

## Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	1350
Kelvin 1	3000
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	E
Dimmable	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

## Compatible Dimmers

Nr.28: 8542 12 00 - BERKER

Nr.30: 852,096 - OPUS

Nr.31: 5TC8211-0 - SIEMENS

Nr.34: EUD61NPN-UC - ELTAKO

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.36: 6523 UJGL-214P - ABB

Nr.37: VD100 - VADSBO

Nr.39: 7 520 62 - LEGRAND

Nr.42: 1711DE - JUNG

Nr.43: 1710DE - JUNG

Nr.44: 540100 - GIRA

Nr.45: 540000 - GIRA

Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.56: 6526 U - BUSCH-JAEGER

Nr.57: 6523 UR-103 - BUSCH-JAEGER

Nr.58: 6526 U-500 - ABB

Nr.59: 6523 UR-103-500 - ABB

Nr.60: 6523 U-102-500 - ABB

Nr.61: 40200.LED.FMI.61 - FELLER



1 x 11  
W

THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

