93876 BAYA LED





General Information

Material number	93876
Туре	floor light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	F

Dimensions

Article Height (in mm/in)	1800
Article Length (in mm/in)	360
Net Weight (in kg)	6.25
Base Diameter (in mm/in)	250

Material & Colour

Enclosure Material	steel
Enclosure Colour	bronzed
Glass/Shade Material	glass, plastic
Glass/Shade Colour	white, satin finish

Functionality

Switch Type	rotary-dimmer+on/off
Battery	No

93876 BAYA LED



Technical Information

Decke dive Decement	1020
Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	12V
Dimmable	Yes
Watt 1	20
Watt 2	2,5
Watt 3	2,5
Max.Watt incl.transformer/driver	28W
Voltage	220-240V
U out	24V
l out	1250mA
Hz	100Hz

Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	1950
Kelvin 1	3000
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	F
Dimmable	Yes
Info changeability[]light source/driver	LED + driver can be exchanged by a specialist

93876 BAYA LED



Illuminant 2

Lamp socket 2	LED
Illuminant type 2	LED
Illuminant 2	Inclusive
Lumen each Lamp socket / Light source 2	240
Kelvin 1	3000
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	F
Dimmable	Yes
Info changeability[]light source/driver	LED + driver can be exchanged by a specialist

Illuminant 3

Lamp socket 3	LED
Illuminant type 3	LED
Illuminant 3	Inclusive
Lumen each Lamp socket / Light source 3	250

Kelvin 1	3000
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	F
Dimmable	Yes
Info changeability[]light source/driver	LED + driver can be exchanged by a specialist



