

94128

TRONO STICK



General Information

Material number	94128
Type	wall light
Product segment	Outdoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	F

Dimensions

Article Height (in mm/in)	410
Article Length (in mm/in)	105
Net Weight (in kg)	1.46
Article Overhang (in mm/in)	175

Material & Colour

Enclosure Material	stainless steel
Enclosure Colour	stainless steel
Glass/Shade Material	glass, plastic
Glass/Shade Colour	clear

Functionality

Switch Type	sensor
Sensor Angle (in °)	110
Burning Time min. (in sec.)	15
Burning Time max. (in sec.)	420
Distance (in Meter)	5
Function	corner mounting possible LED not replaceable
Battery	No

Technical Information

Protection Degree	IP44
Protection Class	1
Mains Voltage	220-230V,50/60Hz
Operation Voltage	220-230V,50/60Hz
Dimmable	No
Watt 1	2.8
Watt 2	3.7
Max.Watt incl.transformer/driver	3, 7W

Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	GU10
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	250
Kelvin 1	3000
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	F
Dimmable	No
Info changeability□light source/driver	LED exchangeable by customers, no driver included
Illuminant form 1	GU10

94128

TRONO STICK

Illuminant 2

Lamp socket 2	LED
Illuminant type 2	LED
Illuminant 2	Inclusive
Lumen each Lamp socket / Light source 2	250
Kelvin 1	3000
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	F
Dimmable	No
Info changeability□light source/driver	LED exchangeable by customers, no driver included

