



## General Information

Material number	94714
Type	wall/ceiling light
Product segment	Indoor
Theme	Bath
Energy efficiency class (EEI)	E

## Dimensions

Article Height (in mm/in)	75
Article Width (in mm/in)	75
Article Length (in mm/in)	900
Net Weight (in kg)	1.59

## Material & Colour

Enclosure Material	cast metal
Enclosure Colour	chrome
Glass/Shade Material	plastic
Glass/Shade Colour	white

## Functionality

Switch Type	without switch
Battery	No

## Technical Information





Protection Degree	IP44
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	No
Watt 1	8,3
Watt 2	16
Max.Watt incl.transformer/driver	24W

## Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	1000
Kelvin 1	4000
Light colour 1	WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
kW/1000h	24
Energy efficiency class (EEI)	E
Dimmable	No
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included
Rated Lamp Power (0,1W precision)	24,3
Colour Tolerance (LED, SDCM)	<6

## Illuminant 2

Lamp socket 2	LED
Illuminant type 2	LED
Illuminant 2	Inclusive
Lumen each Lamp socket / Light source 2	1900
Kelvin 1	4000
Light colour 1	WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
kW/1000h	24
Energy efficiency class (EEI)	E
Dimmable	No
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included
Rated Lamp Power (0,1W precision)	24,3
Colour Tolerance (LED, SDCM)	<6

<b>LED</b>	<b>neutral WHITE</b>	<b>LED</b>	<b>neutral WHITE</b>				
1 x 8,3 W	1 x 1000 lm	1 x 16 W	1 x 1900 lm		IP44		

