



General Information

| | |
|-------------------------------|------------|
| Material number | 94716 |
| Type | wall light |
| Product segment | Indoor |
| Theme | Bath |
| Energy efficiency class (EEI) | E |

Dimensions

| | |
|-----------------------------|------|
| Article Width (in mm/in) | 50 |
| Article Length (in mm/in) | 600 |
| Net Weight (in kg) | 1.22 |
| Article Overhang (in mm/in) | 85 |

Material & Colour

| | |
|----------------------|--------------|
| Enclosure Material | steel |
| Enclosure Colour | satın nickel |
| Glass/Shade Material | satın glass |
| Glass/Shade Colour | white |

Functionality

| | |
|-------------|----------------|
| Switch Type | without switch |
| Battery | No |

Technical Information

| | |
|-------------------|------------------|
| Protection Degree | IP44 |
| Protection Class | 1 |
| Mains Voltage | 220-240V,50/60Hz |
| Operation Voltage | 220-240V,50/60Hz |
| Dimmable | No |
| Watt 1 | 13 |

Illuminant 1

| | |
|--|----------------------------------|
| Number of Lamp socket / Light source 1 | 1 |
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Nominal Lifetime (in h) | 25,000 |
| Switching Cycles | 15000 |
| kW/1000h | 17 |
| Energy efficiency class (EEI) | E |
| Dimmable | No |
| Info changeability□light source/driver | LED + driver cannot be exchanged |
| Rated Lamp Power (0,1W precision) | 16,6 |
| Colour Tolerance (LED, SDCM) | <6 |



