



General Information

| | |
|-------------------------------|-----------------------------|
| Material number | 94734 |
| Type | recessed light |
| Product segment | Indoor |
| Theme | sonstige / nicht zuordenbar |
| Energy efficiency class (EEI) | F |

Dimensions

| | |
|-------------------------------|------|
| Article Diameter (in mm/in) | 85 |
| Installation Depth (in mm/in) | 30 |
| Cutout (in mm/in) | 73 |
| Net Weight (in kg) | 0.31 |

Material & Colour

| | |
|----------------------|--------------|
| Enclosure Material | cast metal |
| Enclosure Colour | satın nickel |
| Glass/Shade Material | plastic |
| Glass/Shade Colour | white |

Functionality

| | |
|-------------|---------------------|
| Switch Type | without switch |
| Function | LED not replaceable |
| Battery | No |

Technical Information

| | |
|----------------------------------|------------------|
| Protection Degree | IP20 |
| Protection Class | 2 |
| Mains Voltage | 220-240V,50/60Hz |
| Operation Voltage | 12V |
| Dimmable | No |
| Watt 1 | 2,7 |
| Max.Watt incl.transformer/driver | 3X3, 97W |

Illuminant 1

| | |
|---|------------|
| Number of Lamp socket / Light source 1 | 3 |
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Lumen each Lamp socket / Light source 1 | 300 |
| Kelvin 1 | 3000 |
| Light colour 1 | WARM WHITE |
| Nominal Lifetime (in h) | 25,000 |
| Switching Cycles | 15000 |
| kW/1000h | 3 |
| Energy efficiency class (EEI) | F |
| Dimmable | No |
| Rated Lamp Power (0,1W precision) | 2,7 |
| Colour Tolerance (LED, SDCM) | <6 |



3 x
2,7 W

Ø 73

94734 FUEVA 1

