
95659

FRADELO



General Information

Material number	95659
Type	ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	F

Dimensions

Article Height (in mm/in)	85
Article Width (in mm/in)	260
Article Length (in mm/in)	260
Net Weight (in kg)	1.13

Material & Colour

Enclosure Material	steel
Enclosure Colour	chrome
Glass/Shade Material	plastic, brilliant glass
Glass/Shade Colour	chrome, clear

Functionality

Switch Type	without switch

Battery	No

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	No
Watt 1	2
Watt 2	3,5
Max.Watt incl.transformer/driver	12W
Nominal Lifetime (in h)	25000

Illuminant 1

Number of Lamp socket / Light source 1	4
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	230
Kelvin 1	3000
Light colour 1	WARM WHITE
Nominal Lifetime (in h)	25000
Switching Cycles	15000
kW/1000h	13
Energy efficiency class (EEI)	F
Dimmable	No
Info changeability light source/driver	LED + driver can be exchanged by a specialist
Rated Lamp Power (0,1W precision)	12
Colour Tolerance (LED, SDCM)	<6

Illuminant 2

Lamp socket 2	LED
Illuminant type 2	LED
Illuminant 2	Inclusive
Lumen each Lamp socket / Light source 2	400
Kelvin 1	3000
Light colour 1	WARM WHITE
Nominal Lifetime (in h)	25000
Switching Cycles	15000

kW/1000h	13
Energy efficiency class (EEI)	F
Dimmable	No
Info changeability light source/driver	LED + driver can be exchanged by a specialist
Rated Lamp Power (0,1W precision)	12
Colour Tolerance (LED, SDCM)	<6



4 x 2 W | 4 x 230 lm | 1 x 3,5 W | 1 x 400 lm

Technical changes reserved

Contact | Support
eglo.com/en/eglo-worldwide