



General Information

Material number	95857
Type	recessed light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	G

Dimensions

Article Diameter (in mm/in)	84
Installation Depth (in mm/in)	40
Cutout (in mm/in)	72
Net Weight (in kg)	0.42

Material & Colour

Enclosure Material	plastic
Enclosure Colour	white

Functionality

Switch Type	without switch
Battery	No

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-230V,50/60Hz
Operation Voltage	220-230V,50/60Hz
Dimmable	Yes
Watt 1	5,5

Illuminant 1

Number of Lamp socket / Light source 1	3
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	360
Kelvin 1	3000
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	G
Dimmable	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

Compatible Dimmers

Nr.08: 2873 - BERKER

Nr.29: 5TC8 263 - SIEMENS

Nr.31: 5TC8211-0 - SIEMENS

Nr.34: EUD61NPN-UC - ELTAKO

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.36: 6523 UJGL-214P - ABB

Nr.37: VD100 - VADSBO

Nr.39: 7 520 62 - LEGRAND

Nr.41: 1731DD - JUNG

Nr.42: 1711DE - JUNG

Nr.43: 1710DE - JUNG

Nr.44: 540100 - GIRA

Nr.45: 540000 - GIRA

Nr.46: 1730DD - JUNG

Nr.47: 1724DM - JUNG

Nr.48: UD1755REG - JUNG

Nr.49: 245500 - GIRA

Nr.50: 245000 - GIRA

Nr.51: 244000 - GIRA

Nr.52: 236500 - GIRA

Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.56: 6526 U - BUSCH-JAEGER

Nr.57: 6523 UR-103 - BUSCH-JAEGER

Nr.58: 6526 U-500 - ABB

Nr.59: 6523 UR-103-500 - ABB

Nr.60: 6523 U-102-500 - ABB

Nr.62: 431 HAN - PEHA

Nr.63: 820320 LEDDIM 400 - SG

Nr.67: 820323 LEDDIM200

Nr.68: 506DA126, Lauritz Knudsen



3 x
5,5 W

Ø 72

