



General Information

| | |
|-------------------------------|---------------|
| Material number | 96664 |
| Type | ceiling light |
| Product segment | Indoor |
| Theme | EGLO connect |
| Energy efficiency class (EEI) | E |

Dimensions

| | |
|---------------------------|------|
| Article Height (in mm/in) | 50 |
| Article Width (in mm/in) | 300 |
| Article Length (in mm/in) | 1200 |
| Net Weight (in kg) | 5.46 |

Material & Colour

| | |
|----------------------|-----------|
| Enclosure Material | aluminium |
| Enclosure Colour | white |
| Glass/Shade Material | plastic |
| Glass/Shade Colour | white |

Functionality

| | |
|--------------|---|
| Switch Type | without switch |
| Function | remote control incl. control via APP + remote control BLE, CCT, RGB |
| Battery | Yes |
| Battery Type | AAA; R03P; 1,5V |

Technical Information

| | |
|-------------------|------------------|
| Protection Degree | IP20 |
| Protection Class | 2 |
| Mains Voltage | 220-240V,50/60Hz |
| Dimmable | Yes |
| Watt 1 | 31 |

Illuminant 1

| | |
|---|---|
| Number of Lamp socket / Light source 1 | 1 |
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Lumen each Lamp socket / Light source 1 | 4000 |
| Kelvin 1 | 2700-6500 |
| Light colour 1 | RGB+TW |
| Nominal Lifetime (in h) | 25,000 |
| Switching Cycles | 15000 |
| kW/1000h | 37 |
| Energy efficiency class (EEI) | E |
| Dimmable | Yes |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |
| Rated Lamp Power (0,1W precision) | 34 |
| Colour Tolerance (LED, SDCM) | <6 |



96664 SALOBRENA-C

