



General Information

| | |
|-------------------------------|-----------------------------|
| Material number | 97463 |
| Type | wall light |
| Product segment | Outdoor |
| Theme | sonstige / nicht zuordenbar |
| Energy efficiency class (EEI) | F |

Dimensions

| | |
|-----------------------------|-----|
| Article Height (in mm/in) | 200 |
| Article Length (in mm/in) | 205 |
| Net Weight (in kg) | 0.6 |
| Article Overhang (in mm/in) | 50 |

Material & Colour

| | |
|----------------------|-----------|
| Enclosure Material | aluminium |
| Enclosure Colour | black |
| Glass/Shade Material | glass |
| Glass/Shade Colour | clear |

Functionality

| | |
|-----------------------------|---|
| Switch Type | sensor |
| Sensor Angle (in °) | 120 |
| Sensitivity min. (in lux) | 5 |
| Sensitivity max. (in lux) | 2000 |
| Burning Time min. (in sec.) | 5 |
| Burning Time max. (in sec.) | 300 |
| Distance (in Meter) | 12 |
| Function | corner mounting possible LED not replaceable |
| Battery | No |

Technical Information

| | |
|----------------------------------|------------------|
| Protection Degree | IP44 |
| Protection Class | 1 |
| Mains Voltage | 220-240V,50/60Hz |
| Operation Voltage | 220-240V,50/60Hz |
| Dimmable | No |
| Watt 1 | 53 |
| Max.Watt incl.transformer/driver | 53W |

Illuminant 1

| | |
|---|---|
| Number of Lamp socket / Light source 1 | 1 |
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Lumen each Lamp socket / Light source 1 | 5800 |
| Kelvin 1 | 5000 |
| Light colour 1 | WHITE |
| Energy efficiency class (EEI) | F |
| Dimmable | No |
| Info changeability□light source/driver | LED cannot be exchanged, no driver included |



97463 FAEDO 3

