

## General Information

Material number	98244
Type	recessed light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	G

## Dimensions

Article Height (in mm/in)	42
Article Diameter (in mm/in)	88
Installation Depth (in mm/in)	50
Cutout (in mm/in)	68
Net Weight (in kg)	0.13

## Material & Colour

Enclosure Material	aluminium
Enclosure Colour	satın nickel

## Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

## Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
Watt 1	6
Max.Watt incl.transformer/driver	6W

## Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	380
Kelvin 1	2700
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	G
Dimmable	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

## Compatible Dimmers

NR.06: 5TC8 256 - SIEMENS

NR.07: 2262 00 - GIRA

NR.08: 2873 - BERKER

NR.11: 5TC8 284 - SIEMENS

NR.12: 2247 U - BUSCH-JAEGER

NR.19: 7759 03 ADW-ETL4 - LEGRAND

Nr.20: 6523 U - BUSCH-JAEGER

Nr.21: 32E450UDM - CLIPSAL

Nr.22: Cat 400T - LEGRAND

Nr.24: 6524 U - BUSCH-JAEGER

Nr.25: 225 NV DE - JUNG

Nr.28: 8542 12 00 - BERKER

Nr.29: 5TC8 263 - SIEMENS

Nr.31: 5TC8211-0 - SIEMENS

Nr.32: System 2000 2385 00 - GIRA

Nr.33: ETD U2 - SCHALK

Nr.34: EUD61NPN-UC - ELTAKO


Nr.36: 6523 UJGL-214P - ABB

Nr.37: VD100 - VADSBO



1 x 6  
W

Ø 68



cd  
— C0 - C180 — C90 - C270

**98244**  
**SALICETO**



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

