

General Information

Material number	98303
Type	recessed light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	G

Dimensions

Article Height (in mm/in)	42
Article Diameter (in mm/in)	88
Installation Depth (in mm/in)	50
Cutout (in mm/in)	68
Net Weight (in kg)	0.13

Material & Colour

Enclosure Material	aluminium
Enclosure Colour	satın nickel

Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	Yes
Watt 1	6
Max.Watt incl.transformer/driver	6W

Illuminant 1

Number of Lamp socket / Light source 1 1

Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	450
Kelvin 1	2700
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	G
Dimmable	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

Compatible Dimmers

Nr.31: 5TC8211-0 - SIEMENS

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.39: 7 520 62 - LEGRAND

Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.60: 6523 U-102-500 - ABB

Nr.63: 820320 LEDDIM 400 - SG


Nr.67: 820323 LEDDIM200

Nr.68: 506DA126, Lauritz Knudsen



1 x 6
W

Ø 68



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

