

## General Information

Material number	98474
Type	recessed light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar

## Dimensions

Article Height (in mm/in)	42
Article Width (in mm/in)	88
Article Length (in mm/in)	88
Installation Depth (in mm/in)	50
Cutout (in mm/in)	68
Net Weight (in kg)	0.14

## Material & Colour

Enclosure Material	aluminium
Enclosure Colour	satin nickel
Glass/Shade Material	glass
Glass/Shade Colour	clear

## Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

## Technical Information


Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
max. Wattage (1)	6W

## Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	450
Kelvin Complete	4000K
Light colour Complete	WHITE
Dimmable	Yes

### Compatible Dimmers

NR.06: 5TC8 256 - SIEMENS	1
NR.07: 2262 00 - GIRA	1
NR.08: 2873 - BERKER	1
NR.11: 5TC8 284 - SIEMENS	1
NR.12: 2247 U - BUSCH-JAEGER	1
NR.19: 7759 03 ADW-ETL4 - LEGRAND	1
Nr.20: 6523 U - BUSCH-JAEGER	1
Nr.21: 32E450UDM - CLIPSAL	1
Nr.22: Cat 400T - LEGRAND	1
Nr.24: 6524 U - BUSCH-JAEGER	1
Nr.25: 225 NV DE - JUNG	1
Nr.28: 8542 12 00 - BERKER	1
Nr.29: 5TC8 263 - SIEMENS	1
Nr.31: 5TC8211-0 - SIEMENS	1
Nr.32: System 2000 2385 00 - GIRA	1
Nr.33: ETD U2 - SCHALK	1
Nr.34: EUD61NPN-UC - ELTAKO	1



**98474**  
**SALICETO**



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

