99135 FUEVA 5





General Information

Material number99135Typerecessed lightProduct segmentIndoorThemesonstige / nicht zuordenbarEnergy efficiency class (EEI)E

Dimensions

| Article Diameter (in mm/in) | 86 |
|-------------------------------|------|
| Installation Depth (in mm/in) | 26 |
| Cutout (in mm/in) | 75 |
| Net Weight (in kg) | 0.35 |

Material & Colour

| Enclosure Material | steel |
|----------------------|---------|
| Enclosure Colour | white |
| Glass/Shade Material | plastic |
| Glass/Shade Colour | white |

Functionality

| Switch Type | without switch |
|-------------|----------------|
| Battery | No |

99135 **FUEVA 5**



Technical Information

| Protection Degree | IP20 |
|-------------------|------------------|
| Protection Class | 2 |
| Mains Voltage | 220-240V,50/60Hz |
| Operation Voltage | 220-240V,50/60Hz |
| Dimmable | No |
| Watt 1 | 2,7 |

Illuminant 1

| Number of Lamp socket / Light source 1 | 3 |
|---|---|
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Lumen each Lamp socket / Light source 1 | 330 |
| Kelvin 1 | 3000 |
| Light colour 1 | WARM WHITE |
| Energy efficiency class (EEI) | Е |
| Dimmable | No |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |














3 x 2,7 W



99135 **FUEVA 5**



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALLY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.