

General Information

Material number	99162
Type	recessed light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	F

Dimensions

Article Width (in mm/in)	117
Article Length (in mm/in)	117
Installation Depth (in mm/in)	26
Cutout (in mm/in)	105X105
Net Weight (in kg)	0.2

Material & Colour

Enclosure Material	steel
Enclosure Colour	white
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Battery	No

Technical Information


Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	No
Watt 1	5,5
Max.Watt incl.transformer/driver	6W

Illuminant 1

Number of Lamp socket / Light source 1	1
Lamp socket 1	LED
Illuminant type 1	LED
Illuminant 1	Inclusive
Lumen each Lamp socket / Light source 1	650
Kelvin 1	3000
Light colour 1	WARM WHITE
Energy efficiency class (EEI)	F
Dimmable	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist



99162 FUEVA 5



cd
— C0 - C180 — C90 - C270

THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

