
FUEVA 5





General Information

| Material number | 99163 |
|-------------------------------|-----------------------------|
| Type | recessed light |
| Product segment | Indoor |
| Theme | sonstige / nicht zuordenbar |
| Energy efficiency class (EFI) | F |

Dimensions

| Article Width (in mm/in) | 166 |
|-------------------------------|---------|
| Article Length (in mm/in) | 166 |
| Installation Depth (in mm/in) | 26 |
| Cutout (in mm/in) | 155X155 |
| Net Weight (in kg) | 0.35 |

Material & Colour

| Enclosure Material | steel |
|----------------------|---------|
| Enclosure Colour | white |
| Glass/Shade Material | plastic |
| Glass/Shade Colour | white |

Functionality

| Switch Type | without switch |
|-------------|----------------|
| Battery | No |

99163 **FUEVA 5**



Technical Information

| Protection Degree | IP20 |
|----------------------------------|------------------|
| Protection Class | 2 |
| Mains Voltage | 220-240V,50/60Hz |
| Operation Voltage | 220-240V,50/60Hz |
| Dimmable | No |
| Watt 1 | 11 |
| Max.Watt incl.transformer/driver | 12W |

Illuminant 1

| Number of Lamp socket / Light source 1 | 1 |
|---|---|
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Lumen each Lamp socket / Light source 1 | 1350 |
| Kelvin 1 | 3000 |
| Light colour 1 | WARM WHITE |
| Energy efficiency class (EEI) | E |
| Dimmable | No |
| Info changeability light source/driver | LED + driver can be exchanged by a specialist |









□ 155 X155










1 x 11 W

1 x 1350 lm

2/3

99163 **FUEVA 5**





THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALLY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.