



General Information

| | |
|-------------------------------|----------------|
| Material number | 99211 |
| Type | recessed light |
| Product segment | Indoor |
| Theme | Bath |
| Energy efficiency class (EEI) | E |

Dimensions

| | |
|-------------------------------|------|
| Article Diameter (in mm/in) | 86 |
| Installation Depth (in mm/in) | 26 |
| Cutout (in mm/in) | 75 |
| Net Weight (in kg) | 0.12 |

Material & Colour

| | |
|----------------------|---------|
| Enclosure Material | steel |
| Enclosure Colour | black |
| Glass/Shade Material | plastic |
| Glass/Shade Colour | white |

Functionality


| | |
|-------------|----------------|
| Switch Type | without switch |
| Battery | No |

Technical Information

| | |
|-------------------|------------------|
| Protection Degree | IP44 |
| Protection Class | 2 |
| Mains Voltage | 220-240V,50/60Hz |
| Operation Voltage | 220-240V,50/60Hz |
| Dimmable | No |
| Watt 1 | 2,7 |

Illuminant 1

| | |
|---|---|
| Number of Lamp socket / Light source 1 | 1 |
| Lamp socket 1 | LED |
| Illuminant type 1 | LED |
| Illuminant 1 | Inclusive |
| Lumen each Lamp socket / Light source 1 | 330 |
| Kelvin 1 | 3000 |
| Light colour 1 | WARM WHITE |
| Energy efficiency class (EEI) | E |
| Dimmable | No |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |



99211
FUEVA 5



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

