



Yleistietoa

Materiaalinumero	98243
Tyyppi	upotettu valo
Tuotesegmentti	Sisätila
Teema	muut / ei määritetty
Energiatohokkuusluokka	G

Mitat

Tuotteen halkaisija (mm/in)	88
Asennussyvyys (mm/in)	56
Loveus (mm/in)	68
Nettopaino (kg)	0,13

Materiaali & Väri

Kotelon materiaali	alumiini
Kotelon väri	valkoinen

Toiminnallisuus

Kytintyyppi	ei kytkintä
Akku/paristo	Ei

Tekniset tiedot

Suojausaste	IP20
Suojausluokka	2
Verkkojännite	220-240V,50/60Hz
Käyttöjännite	220-240V,50/60Hz
Himmennettävä	Kyllä
Watt 1	6
Maksimiteho, sis. muuntajan	6

Valonlähde 1

Lampun kannan/valonlähteen lukumäärä 1	1
Pistorasian tyyppi 1	LED
Valaisintyyppi 1	LED
Valaisin sis. 1	Sisältää
Lumen jokainen lampun kanta / valonlähde 1	380
Kelvin 1	2700
Valoväri 1	WARM WHITE
Energiatohokkuusluokka	G
Himmennettävä	Kyllä
Info changeability□light source/driver	LED vaihdettavissa sähköasentajan toimesta, Ei sisällä muuntajaa

Yhteensopiva himmennin

Nr.31: 5TC8211-0 - SIEMENS

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.39: 7 520 62 - LEGRAND


Nr.55: DIMAX 542 plus S 5420130 - THEBEN

Nr.60: 6523 U-102-500 - ABB

Nr.63: 820320 LEDDIM 400 - SG

Nr.67: 820323 LEDDIM200

Nr.68: 506DA126, Lauritz Knudsen



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

