


# 11744

## LM\_LED\_G13 - V3



COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

### General Information

|                        |                 |
|------------------------|-----------------|
| Trade mark             | EGLO            |
| Materiāla numurs       | 11744           |
| Type                   | Spuldze         |
| Light colour Complete  | WHITE           |
| Gaismas avota tips (1) | G13-LED-T8-TUBE |
| kW/1000h               | 18              |
| EAN/UPC                | 9002759117443   |

### Dimensions

|                               |      |
|-------------------------------|------|
| Izstrādājuma diametrs (mm/in) | 28   |
| Izstrādājuma garums (mm/in)   | 1200 |

### Light Information

|                            |    |
|----------------------------|----|
| Krāsu pielāide (LED, SDCM) | <6 |
|----------------------------|----|

## Technical Information

|                                            |        |
|--------------------------------------------|--------|
| Equivalent power (W)                       | 134    |
| Lampas jaudas koeficients                  | 1      |
| Nominālā strāva (mA)                       | 90     |
| Nominālais kalpošanas laiks (h)            | 25 000 |
| Aprēķinātā lampas jauda (0,1W precizitāte) | 18     |

|                                    |        |
|------------------------------------|--------|
| Aprēķinātais kalpošanas laiks (h)  | 25 000 |
| Lighting Technology                |        |
| Directional Light source           | No     |
| Lamp cap (Socket)                  |        |
| Mains light source                 | Yes    |
| Connected light source             | No     |
| Colour-tunable light source        | No     |
| High luminance light source        | No     |
| Dimmable (bulb, board, stripe,...) | No     |
| Energy consumption (kWh/1000h)     | 18     |

|                                                     |        |
|-----------------------------------------------------|--------|
| Rated useful lumen                                  | 2160   |
| Beam angle (°) - at measurement                     |        |
| Color temperature (K)                               |        |
| Nominal wattage (W)                                 | 18     |
| Chromaticity coordinates x (1)                      | 0,3811 |
| Chromaticity coordinates y (1)                      | 0,3813 |
| Color rendering index (CRI)                         | 82     |
| R9                                                  | 7      |
| Lamp survival factor @3000h                         |        |
| Lumen maintenance factor @3000h % in decimal number | 0,96   |

|                                  |     |
|----------------------------------|-----|
| Displacement factor DF (PF)      | 0,7 |
| Flicker Metric / Pst LM          | 1   |
| Stroboscopic Effect Metric / SVM | 0,4 |

## Switch information

|                           |          |
|---------------------------|----------|
| Palaides laiks            | <0,5 sec |
| Uzsilšanas laiks līdz 60% | < 1 sec  |
| Pārslēgšanas cikli        | 15000    |



# 11744

## LM\_LED\_G13 - V3

