




General Information

Materiāla numurs	98304
Type	iedziļināts gaismeklis
Produktu segments	iekštelpu
temats	cits / nav piešķirams
Energoefektivitāte	

Dimensions

Izstrādājuma platums (mm/in)	88
Izstrādājuma garums (mm/in)	88
Uzstādīšanas dziļums (mm/in)	42
Iegriezums (mm/in)	68
Neto svars (kg)	0,14

Material & Colour

Korpusa materiāls	alumīnijs
Korpusa krāsa	satinēts niķelis

Functionality

Slēdža tips	bez slēdža
Funkcija	
Akumulators	Nē

Technical Information

Aizsardzības pakāpe	IP20
Aizsardzības klase	2
Tīkla spriegums	220-240V,50/60Hz
Darba spriegums	220-240V,50/60Hz
Dimmable	
Vats 1	6
Max.Watt incl.transformer/driver	6W

Illuminant 1

Lampas ligzdas/gaismas avota numurs 1 1

Ietveres tips 1	LED
Gaismas avota tips 1	LED
Gaismas avots iesk. 1	Iekļautas
Katra lampas ligzda / gaismas avots 1	450
Kelvin 1	2700
gaiša krāsa 1	WARM WHITE
Energoefektivitāte	
Dimmable	
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

Compatible Dimmers

Nr.31: 5TC8211-0 - SIEMENS

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.39: 7 520 62 - LEGRAND

Nr.55: DIMAX 542 plus S 5420130 - THEBEN


Nr.60: 6523 U-102-500 - ABB

Nr.63: 820320 LEDDIM 400 - SG

Nr.67: 820323 LEDDIM200

Nr.68: 506DA126, Lauritz Knudsen





THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

