



General Information

| | |
|--------------------|------------------------|
| Materiāla numurs | 98305 |
| Type | iedziļināts gaismeklis |
| Produktu segments | iekštelpu |
| temats | cits / nav piešķirams |
| Energoefektivitāte | |

Dimensions

| | |
|-------------------------------|------|
| Izstrādājuma augstums (mm/in) | 42 |
| Izstrādājuma diametrs (mm/in) | 88 |
| Uzstādīšanas dziļums (mm/in) | 50 |
| Iegriezums (mm/in) | 68 |
| Neto svars (kg) | 0,12 |

Material & Colour

| | |
|-------------------|-----------|
| Korpora materiāls | alumīnijs |
| Korpora krāsa | balts |

Functionality

| | |
|-------------|------------|
| Slēdža tips | bez slēdža |
| Funkcija | |
| Akumulators | Nē |

Technical Information

| | |
|---------------------|------------------|
| Aizsardzības pakāpe | IP20 |
| Aizsardzības klase | 2 |
| Tīkla spriegums | 220-240V,50/60Hz |
| Darba spriegums | 220-240V,50/60Hz |
| Dimmable | |
| Vats 1 | 6 |

Illuminant 1

| | |
|--|--|
| Lampas ligzdas/gaismas avota numurs 1 | 1 |
| Ietveres tips 1 | LED |
| Gaismas avota tips 1 | LED |
| Gaismas avots iesk. 1 | Iekļautas |
| Katra lampas ligzda / gaismas avots 1 | 500 |
| Kelvin 1 | 4000 |
| gaiša krāsa 1 | WHITE |
| Energoefektivitāte | |
| Dimmable | |
| Info changeability□light source/driver | LED exchangeable by a specialist, no driver included |

Compatible Dimmers

Nr.31: 5TC8211-0 - SIEMENS

Nr.35: 6523 U-102 - BUSCH-JAEGER

Nr.39: 7 520 62 - LEGRAND


Nr.55: DIMAX 542 plus S 5420130 - THEBEN


Nr.60: 6523 U-102-500 - ABB

Nr.63: 820320 LEDDIM 400 - SG

Nr.67: 820323 LEDDIM200

Nr.68: 506DA126, Lauritz Knudsen





THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

