




General Information

Materiāla numurs	98308
Tips	iedziļināts gaismeklis
Produktu segments	lekštelpu
temats	cits / nav piešķirams
Energoefektivitāte	

Dimensions

Izstrādājuma platums (mm/in)	88
Izstrādājuma garums (mm/in)	88
Uzstādīšanas dziļums (mm/in)	42
Iegriezums (mm/in)	68
Neto svars (kg)	0,14

Material & Colour

Korpusa materiāls	alumīnijs
Korpusa krāsa	satinēts niķelis

Functionality

Slēdža tips	bez slēdža
Funkcija	

Technical Information

Aizsardzības pakāpe	IP20
Aizsardzības klase	2
Tīkla spriegums	220-240V,50/60Hz
Darba spriegums	220-240V,50/60Hz
Aptumšojams	
Vats 1	6
Max.Watt, ieskaitot transformatoru/vadītāju	6W

Illuminant 1

Lampas ligzdas/gaismas avota numurs 1	1
Ietveres tips 1	LED
Gaismas avota tips 1	LED
Gaismas avots iesk. 1	Iekļautas
Katra lampas ligzda / gaismas avots 1	500
Kelvin 1	4000
gaiša krāsa 1	WHITE
Energoefektivitāte	
Aptumšojams	
Info changeability light source/driver	LED exchangeable by a specialist, no driver included

Compatible Dimmers

Nr.31: 5TC8211-0 - SIEMENS
Nr.35: 6523 U-102 - BUSCH-JAEGER
Nr.39: 7 520 62 - LEGRAND
Nr.55: DIMAX 542 plus S 5420130 - THEBEN
Nr.60: 6523 U-102-500 - ABB
Nr.63: 820320 LEDDIM 400 - SG
Nr.67: 820323 LEDDIM200
Nr. 68: 506DA126, Laurics Knudsens




1 x 6 W



Ø 68





THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

Technical changes reserved

3/3



Contact | Support
eglo.com/en/eglo-worldwide