

General Information

Materiāla numurs	98474
Type	iedziļināts gaismeklis
Produktu segments	iekštelpu
temats	cits / nav piešķirams

Dimensions

Izstrādājuma augstums (mm/in)	42
Izstrādājuma platums (mm/in)	88
Izstrādājuma garums (mm/in)	88
Uzstādīšanas dziļums (mm/in)	50
Iegriezums (mm/in)	68
Neto svars (kg)	0,14

Material & Colour

Korpusa materiāls	alumīnijs
Korpusa krāsa	satinēts niķelis
Stikla/Abažūra materiāls	stikls
Stikla/Abažūra krāsa	caurspīdīgs

Functionality

Slēdža tips	bez slēdža
Funkcija	
Akumulators	Nē

Technical Information



Aizsardzības pakāpe	IP20
Aizsardzības klase	2
Tīkla spriegums	220-240V,50/60Hz
Dimmable	
Vats 1	6

Illuminant 1

Lampas ligzdas/gaismas avota numurs 1	1
Ietveres tips 1	LED
Gaismas avota tips 1	LED
Gaismas avots iesk. 1	Iekļautas
Katra lampas ligzda / gaismas avots 1	450
Kelvin 1	4000
gaiša krāsa 1	WHITE
Dimmable	

Compatible Dimmers

NR.06: 5TC8 256 - SIEMENS	1
NR.07: 2262 00 - GIRA	1
NR.08: 2873 - BERKER	1
NR.11: 5TC8 284 - SIEMENS	1
NR.12: 2247 U - BUSCH-JAEGER	1
NR.19: 7759 03 ADW-ETL4 - LEGRAND	1
Nr.20: 6523 U - BUSCH-JAEGER	1
Nr.21: 32E450UDM - CLIPSAL	1
Nr.22: Cat 400T - LEGRAND	1
Nr.24: 6524 U - BUSCH-JAEGER	1
Nr.25: 225 NV DE - JUNG	1
Nr.28: 8542 12 00 - BERKER	1
Nr.29: 5TC8 263 - SIEMENS	1
Nr.31: 5TC8211-0 - SIEMENS	1
Nr.32: System 2000 2385 00 - GIRA	1
Nr.33: ETD U2 - SCHALK	1
Nr.34: EUD61NPN-UC - ELTAKO	1



cd
— C0 - C180 — C90 - C270

98474
SALICETO



THE FUNCTIONAL GUARANTEE ONLY APPLIES TO THE USE OF THE PRODUCTS IN THE PRIVATE SECTOR AND NOT TO PRODUCTS THAT ARE USED COMMERCIALY (E.G. IN RESTAURANTS, HOTELS, RESORTS), ON A COMMUNAL LEVEL OR IN GENERAL AREAS OF MULTI-PARTY HOUSES.

