


# 11742

## LM\_LED\_G13 - V3



COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

### General Information

|                       |                 |
|-----------------------|-----------------|
| Trade mark            | EGLO            |
| Gaminio kodas         | 11742           |
| Type                  | lemputė         |
| Light colour Complete | WHITE           |
| Šviestuvo tipas (1)   | G13-LED-T8-TUBE |
| kW/1000 val.          | 10              |
| EAN/UPC               | 9002759117429   |

### Dimensions

|                          |     |
|--------------------------|-----|
| Gaminio skersmuo (mm/in) | 28  |
| Gaminio ilgis (mm/in)    | 600 |

### Light Information

|                                |    |
|--------------------------------|----|
| Spalvų tolerancija (LED, SDCM) | <6 |
|--------------------------------|----|

## Technical Information

|                                                     |        |
|-----------------------------------------------------|--------|
| Equivalent power (W)                                | 76     |
| Lempos galios koeficientas                          | 1      |
| Nominali srovė (mA)                                 | 50     |
| Nominalus tarnavimo laikas (val.)                   | 25 000 |
| Nominali šviestuvo galia (0,1 W tikslumas)          | 10     |
| Nominalus tarnavimo laikas (val.)                   | 25 000 |
| Lighting Technology                                 |        |
| Directional Light source                            | No     |
| Lamp cap (Socket)                                   |        |
| Mains light source                                  | Yes    |
| Connected light source                              | No     |
| Colour-tunable light source                         | No     |
| High luminance light source                         | No     |
| Dimmable (bulb, board, stripe,...)                  | No     |
| Energy consumption (kWh/1000h)                      | 9      |
| Rated useful lumen                                  | 1080   |
| Beam angle (°) - at measurement                     |        |
| Color temperature (K)                               |        |
| Nominal wattage (W)                                 | 9      |
| Chromaticity coordinates x (1)                      | 0,3807 |
| Chromaticity coordinates y (1)                      | 0,3815 |
| Color rendering index (CRI)                         | 82     |
| R9                                                  | 7      |
| Lamp survival factor @3000h                         |        |
| Lumen maintenance factor @3000h % in decimal number | 0,96   |
| Displacement factor DF (PF)                         | 0,5    |
| Flicker Metric / Pst LM                             | 1      |
| Stroboscopic Effect Metric / SVM                    | 0,4    |

## Switch information

|                             |          |
|-----------------------------|----------|
| Išsiurbimo laikas           | <0,5 sec |
| Išilimo laikas iki 60 proc. | < 1 sec  |
| Perjungimo ciklai           | 15000    |



# 11742 LM\_LED\_G13 - V3

